

RIM DIAMETER	SERIES	OEM	SIZE	LOAD/SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	OVERALL TIRE/WHEEL DIAMETER (in.)	TIRE WEIGHT (kg)	TIRE WEIGHT (lbs)	MAX INFLATION PRESSURE (psi)	OVERALL SECTION WIDTH (meas. rim) (in.)	MAX LOAD (kg)	MAX LOAD (lbs)	TREAD DEPTH (32nds)	REVS PER MILE	NEW
--------------	--------	-----	------	------------------	------------	----------	----------------	-----------------------------------	------------------	-------------------	------------------------------	---	---------------	----------------	---------------------	---------------	-----

ContiProContact™

75			235/75R15	105T	SL	OWL	15479370000	28.9	14.0	30.9	44	9.3 (6.5)	6.0 - 8.0	925	2039	12/32	721		
	70		205/70R15	96T	SL	WSW	15479720000	26.3	10.1	22.2	44	8.2 (6.0)	5.0 - 7.0	710	1565	11/32	793		
			215/70R15	98T	SL	WSW 10mm	15479320000	26.9	10.8	23.9	44	8.7 (6.5)	5.5 - 7.0	750	1654	12/32	775		
65	Mini		175/65R15	84H	SL	BSW	03526250000	24.0	6.7	14.9	51	7.2 (5.0)	5.0 - 6.0	500	1102	9/32	856		
	Nissan		P185/65R15	86H	SL	BSW	15484740000	24.5	7.3	16.1	44	7.4 (5.5)	5.0 - 6.5	530	1168	10/32	842		
	Volkswagen		195/65R15	91H	SL	BSW	03522090000	25.0	7.8	17.2	51	7.9 (6.0)	5.5 - 7.0	615	1356	10/32	828		
			195/65R15	91T	SL	BSW	15479240000	25.0	8.0	17.6	44	7.9 (6.0)	5.5 - 7.0	615	1356	11/32	828		
	Toyota		P195/65R15	89S	SL	BSW	15484890000	25.0	7.5	16.5	44	7.9 (6.0)	5.5 - 7.0	580	1279	10/32	828		
	Ford		P205/65R15	95T	XL	BSW	15449480000	25.5	9.3	20.4	50	8.2 (6.0)	5.5 - 7.5	690	1521	11/32	818		
15			205/65R15	94H	SL	BSW	15476710000	25.5	8.2	18.1	51	8.2 (6.0)	5.5 - 7.5	670	1477	10/32	818		
			215/65R15	96T	SL	BSW	15479310000	26.0	9.4	20.7	44	8.7 (6.5)	6.0 - 7.5	710	1565	11/32	802		
	Smart		155/60R15	74T	SL	BSW	03528610000	22.3	5.9	12.9	44	6.2 (4.5)	4.5 - 5.5	375	827	9/32	904		
	Smart		165/60R15	77T	SL	BSW	03505030000	22.8	6.1	13.4	44	7.4 (5.5)	5.0 - 6.5	412	908	9/32	890		
			185/60R15	84T	SL	BSW	15479200000	23.7	7.3	16.2	44	7.4 (5.5)	5.0 - 6.5	500	1102	11/32	864		
			195/60R15	88H	SL	BSW	15476720000	24.2	7.8	17.2	51	8.0 (6.0)	5.0 - 7.0	560	1235	10/32	850		
	60			195/60R15	88T	SL	BSW	15479230000	24.2	8.0	17.7	44	8.0 (6.0)	5.0 - 7.0	560	1235	11/32	850	
				195/60R15	88V	SL	BSW	15479710000	24.2	7.6	16.7	51	8.0 (6.0)	5.0 - 7.0	560	1235	10/32	850	
				205/60R15	91H	SL	BSW	15476730000	24.7	7.8	17.2	51	8.2 (6.0)	5.5 - 7.5	615	1356	10/32	836	
				205/60R15	91T	SL	BSW	15479250000	24.7	8.5	18.8	44	8.2 (6.0)	5.5 - 7.5	615	1356	11/32	836	
			215/60R15	94H	SL	BSW	15479290000	25.2	9.1	20.2	51	8.7 (6.5)	6.0 - 7.5	670	1477	10/32	827		
			215/60R15	94T	SL	BSW	15479300000	25.2	9.1	20.2	44	8.7 (6.5)	6.0 - 7.5	670	1477	11/32	827		
55	Smart		175/55R15	77T	SL	BSW	03528620000	22.6	7.1	15.6	44	7.2 (5.5)	5.0 - 6.0	412	908	9/32	895		
			195/55R15	89V	XL	BSW	15479220000	23.4	7.6	16.7	51	7.9 (6.0)	5.5 - 7.0	580	1279	10/32	873		
50	Smart		195/50R15	82T	SL	BSW	03505040000	22.7	7.5	16.5	44	7.9 (6.0)	5.5 - 7.0	475	1047	9/32	892		
16	70	Subaru	P215/70R16	99S	SL	BSW	15448450000	27.9	10.6	23.3	44	8.7 (6.5)	5.0 - 7.0	775	1709	11/32	747		
			225/70R16	102T	SL	BSW	15479780000	28.4	13.1	28.9	44	9.0 (6.5)	6.0 - 7.5	850	1874	12/32	734		
	65		205/65R16	95T	SL	BSW	15479470000	26.5	9.7	21.3	44	8.2 (6.0)	5.5 - 7.5	690	1521	11/32	787		
			215/65R16	98T	SL	BSW	15479510000	27.0	10.3	22.7	44	8.7 (6.5)	6.0 - 7.5	750	1654	11/32	772		
			225/65R16	100H	SL	BSW	15479560000	27.5	10.8	23.9	51	9.0 (6.5)	6.0 - 7.0	800	1764	10/32	758		
			235/65R16	103T	SL	BSW	15479570000	28.0	11.7	25.9	44	9.4 (7.0)	6.5 - 7.5	875	1929	11/32	745		
			205/60R16	92H	SL	BSW	15479450000	25.7	8.5	18.8	51	8.2 (6.0)	5.5 - 7.5	630	1389	10/32	811		
			205/60R16	92V	SL	BSW	15479460000	25.7	8.5	18.8	51	8.2 (6.0)	5.5 - 7.5	630	1389	10/32	811		
	60	Ford		P205/60R16	91T	SL	BSW	15481500000	25.7	8.7	19.3	44	8.2 (6.0)	5.5 - 7.5	615	1356	10/32	811	
			215/60R16	95H	SL	BSW	15479480000	26.2	8.9	19.6	51	8.7 (6.5)	6.0 - 7.5	690	1521	10/32	796		
		215/60R16	95V	SL	BSW	15479500000	26.2	8.9	19.6	51	8.7 (6.5)	6.0 - 7.5	690	1521	10/32	796			
Nissan			P215/60R16	94T	SL	BSW	15483380000	26.2	8.7	19.3	44	8.7 (6.5)	6.0 - 7.5	670	1477	11/32	796	NEW	
		225/60R16	98H	SL	BSW	15476740000	26.6	10.4	23.0	51	9.0 (6.5)	6.0 - 8.0	750	1654	10/32	784			
		225/60R16	98T	SL	BSW	15479540000	26.6	10.0	22.1	44	9.0 (6.5)	6.0 - 8.0	750	1654	11/32	784			
		225/60R16	98T	SL	WSW 10mm	15479730000	26.6	10.5	23.1	44	9.0 (6.5)	6.0 - 8.0	750	1654	11/32	784			
		235/60R16	100H	SL	BSW	15476750000	27.1	11.0	24.2	51	9.4 (7.0)	6.5 - 8.5	800	1764	10/32	769			
55			235/60R16	100T	SL	BSW	15479550000	27.1	11.7	25.7	44	9.4 (7.0)	6.5 - 8.5	800	1764	11/32	769		
	Nissan		P195/55R16	86H	SL	BSW	15481540000	24.4	7.5	16.6	51	7.9 (6.0)	5.5 - 7.0	530	1168	10/32	845	NEW	

RIM DIAMETER	SERIES	OEM	SIZE	LOAD/SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	OVERALL TIRE/WHEEL DIAMETER (in.)	TIRE WEIGHT (kg)	TIRE WEIGHT (lbs)	MAX INFLATION PRESSURE (psi)	OVERALL SECTION WIDTH (meas. rim) (in.)	MAX LOAD (kg)	MAX LOAD (lbs)	TREAD DEPTH (32nds)	REVS PER MILE	NEW
--------------	--------	-----	------	------------------	------------	----------	----------------	-----------------------------------	------------------	-------------------	------------------------------	---	---------------	----------------	---------------------	---------------	-----

ContiProContact™

16	55	Mercedes	205/55R16	91H	SL	BSW	03521300000	24.9	9.1	20.1	51	8.4 (6.5)	5.5 - 7.5	615	1356	10/32	831	
		Volkswagen	205/55R16	91H	SL	BSW	03522770000	24.9	8.4	18.6	51	8.4 (6.5)	5.5 - 7.5	615	1356	10/32	831	
		Honda	P205/55R16	89H	SL	BSW	15448250000	24.9	8.1	18.0	44	8.4 (6.5)	5.5 - 7.5	580	1279	9/32	831	
			205/55R16	91V	SL	BSW	15480150000	24.9	8.5	18.8	51	8.4 (6.5)	5.5 - 7.5	615	1356	10/32	831	
		Audi	215/55R16	97H	XL	BSW	03522710000	25.3	9.4	20.7	51	8.9 (7.0)	6.0 - 7.5	730	1609	10/32	824	
		Audi	215/55R16	93H	SL	BSW	03524960000	25.3	8.9	19.6	51	8.9 (7.0)	6.0 - 7.5	650	1433	10/32	824	
		Audi	225/55R16	99H	XL	BSW	03522070000	25.7	9.9	21.8	51	9.2 (7.0)	6.0 - 8.0	775	1709	10/32	811	
		Volvo	225/55R16	95V	SL	BSW	03528600000	25.7	9.9	21.8	51	9.2 (7.0)	6.0 - 8.0	690	1521	10/32	811	
			235/55R16	98H	SL	BSW	15479440000	26.2	10.0	22.0	51	6.9 (7.5)	6.5 - 8.5	750	1654	10/32	796	
	50		205/50R16	87V	SL	BSW	15479380000	24.1	8.1	17.8	51	8.4 (6.5)	5.5 - 7.5	545	1202	10/32	853	
		225/50R16	92H	SL	BSW	15479520000	24.9	9.3	20.5	51	9.2 (7.0)	6.0 - 8.0	630	1389	10/32	831		
		225/50R16	92V	SL	BSW	15479530000	24.9	9.2	20.3	51	9.2 (7.0)	6.0 - 8.0	630	1389	10/32	831		
	65		215/65R17	99T	SL	BSW	15479630000	28.0	10.4	22.9	44	8.7 (6.5)	6.0 - 7.5	775	1709	11/32	745	
		235/65R17	104H	SL	BSW	15479680000	29.0	14.2	31.3	51	9.4 (7.0)	6.5 - 8.5	900	1984	10/32	719		
	60		215/60R17	96T	SL	BSW	15479620000	27.2	10.5	23.1	44	9.3 (6.5)	6.0 - 7.5	710	1565	11/32	767	
		215/60R17	96H	SL	BSW	15479640000	27.2	9.9	21.9	51	9.3 (6.5)	6.0 - 7.5	710	1565	10/32	767		
Subaru		P225/60R17	98T	SL	BSW	15448440000	27.6	10.4	23.0	44	9.0 (6.5)	6.0 - 8.0	750	1654	11/32	755		
		235/60R17	102T	SL	BSW	15479650000	28.1	12.0	26.3	44	9.4 (7.0)	6.5 - 8.5	850	1874	11/32	742		
	55		215/55R17	94V	SL	BSW	15479600000	26.3	9.4	20.8	51	9.2 (7.0)	6.0 - 8.0	670	1477	10/32	793	
		225/55R17	97H	SL	BSW	15476800000	26.7	10.7	23.5	51	9.2 (7.0)	6.0 - 8.0	730	1609	10/32	781		
Saab/GM		225/55R17	97H	SL	BSW	03517530000	26.7	11.3	24.9	51	9.2 (7.0)	6.0 - 8.0	730	1609	10/32	781		
		225/55R17	97T	SL	BSW	15479610000	26.7	10.4	22.9	44	9.2 (7.0)	6.0 - 8.0	730	1609	11/32	781		
Volkswagen		235/55R17	99H	SL	BSW	03503670000	27.2	10.8	23.8	51	9.6 (7.5)	6.5 - 8.5	775	1709	10/32	767		
			235/55R17	99W	SL	BSW	15486800000	27.2	10.8	23.8	51	9.6 (7.5)	6.5 - 8.5	775	1709	10/32	767	
	50		205/50R17	93V	XL	BSW	15476770000	25.1	9.0	19.8	51	8.4 (6.5)	5.5 - 7.5	650	1433	10/32	825	
		215/50R17	91H	SL	BSW	15476780000	25.5	9.4	20.6	51	8.9 (7.0)	6.0 - 7.5	615	1356	10/32	818		
		215/50R17	95V	XL	BSW	15479590000	25.5	9.1	20.1	51	8.9 (7.0)	6.0 - 7.5	690	1521	10/32	818		
Volvo		225/50R17	98V	XL	BSW	03524900000	25.9	10.6	23.4	51	9.2 (7.0)	6.0 - 8.0	750	1654	10/32	805		
Audi		225/50R17	94H	SL	BSW	03526950000	25.9	9.8	21.5	51	9.2 (7.0)	6.0 - 8.0	670	1477	10/32	805		
		235/50R17	96V	SL	BSW	15479580000	26.3	9.9	21.8	51	9.7 (7.5)	6.5 - 8.5	710	1565	10/32	793		
	45	Mercedes	215/45R17	87H	SL	BSW	03504020000	24.6	9.2	20.4	51	8.5 (7.0)	7.0 - 8.0	545	1202	10/32	839	
Nissan		225/45R17	91V	SL	BSW	03521770000	25.0	9.0	19.9	51	8.9 (7.5)	7.0 - 8.5	615	1356	10/32	828		
Volkswagen		225/45R17	91H	SL	BSW	03522460000	25.0	9.4	20.7	51	8.9 (7.5)	7.0 - 8.5	615	1356	10/32	828		
Mercedes		225/45R17	91H	SL	BSW	03528640000	25.0	8.9	19.6	51	8.9 (7.5)	7.0 - 8.5	615	1356	10/32	828		
Audi		225/45R17	94H	XL	BSW	03528420000	25.0	9.5	21.0	51	8.9 (7.5)	7.0 - 8.5	670	1477	10/32	828		
Audi		235/45R17	94H	SL	BSW	03521310000	25.3	9.3	20.5	51	9.3 (8.0)	7.5 - 9.0	670	1477	10/32	824		
Mercedes		235/45R17	94H	SL	BSW	03500210000	25.3	9.6	21.1	51	9.3 (8.0)	7.5 - 9.0	670	1477	10/32	824		
Volkswagen		235/45R17	94H	SL	BSW	03504360000	25.3	9.8	21.7	51	9.3 (8.0)	7.5 - 9.0	670	1477	10/32	824		
Volkswagen		235/45R17	97H	XL	BSW	03522790000	25.3	10.5	23.2	51	9.3 (8.0)	7.5 - 9.0	730	1609	10/32	824		
		235/45R17	94V	SL	BSW	03524560000	25.3	9.4	20.7	51	9.3 (8.0)	7.5 - 9.0	670	1477	10/32	824		
Volvo		235/45R17	97V	XL	BSW	15449930000	25.3	9.5	21.0	51	9.3 (8.0)	7.5 - 9.0	730	1609	11/32	824	NEW	
			235/45R17	97W	XL	BSW	15479670000	25.3	9.6	21.2	51	9.3 (8.0)	7.5 - 9.0	730	1609	11/32	824	

RIM DIAMETER	SERIES	OEM	SIZE	LOAD/SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	OVERALL TIRE/WHEEL DIAMETER (in.)	TIRE WEIGHT (kg)	TIRE WEIGHT (lbs)	MAX INFLATION PRESSURE (psi)	OVERALL SECTION WIDTH (meas. rim) (in.)	MAX LOAD (kg)	MAX LOAD (lbs)	TREAD DEPTH (32nds)	REVS PER MILE	NEW
--------------	--------	-----	------	------------------	------------	----------	----------------	-----------------------------------	------------------	-------------------	------------------------------	---	---------------	----------------	---------------------	---------------	-----

ContiProContact™

17	45	Volvo	245/45R17	99V	XL	BSW	03521330000	25.7	10.2	22.4	51	9.6 (8.0)	7.0 - 9.0	775	1709	10/32	811		
		Audi	245/45R17	99H	XL	BSW	15481320000	25.7	10.6	23.5	51	9.6 (8.0)	7.5 - 9.0	775	1709	10/32	811		
		Mercedes	245/45R17	99H	XL	BSW	03504090000	25.7	10.5	23.2	51	9.6 (8.0)	7.5 - 9.0	775	1709	10/32	811		
	40	Mercedes	245/40R17	91H	SL	BSW	03503150000	24.7	9.4	20.8	51	9.8 (8.5)	8.0 - 9.5	615	1356	10/32	836		
		Mercedes	255/40R17	94H	SL	BSW	03500220000	25.0	10.6	23.5	51	10.2 (9.0)	8.5 - 10.0	670	1477	10/32	828		
	18	60	Chrysler	225/60R18	99H	SL	BSW	03503120000	28.6	10.7	23.7	51	9.0 (6.5)	6.0 - 8.0	775	1709	10/32	729	
Chrysler/Dodge			P225/60R18	99V	SL	BSW	15474650000	28.6	12.7	27.9	44	9.0 (6.5)	6.0 - 8.0	775	1709	10/32	729		
55			215/55R18	95H	SL	BSW	15482690000	27.3	10.7	23.6	51	8.9 (7.0)	6.0 - 7.5	690	1521	10/32	764		
			235/55R18	104H	XL	BSW	15482680000	28.2	12.3	27.1	51	9.6 (7.5)	6.5 - 8.5	900	1984	10/32	739		
50		Audi	235/55R18	104H	XL	BSW	03500060000	28.2	12.1	26.7	51	9.6 (7.5)	6.5 - 8.5	900	1984	10/32	739	NEW	
		Jaguar	235/50R18	97H	SL	BSW	03522940000	27.3	11.5	25.4	51	9.6 (8.0)	6.5 - 8.5	730	1609	10/32	764		
45		45	GM	245/45R18	100H	XL	BSW	03500040000	26.7	11.4	25.2	51	9.6 (8.0)	7.5 - 9.0	800	1764	10/32	781	
			Jaguar	245/45R18	96H	SL	BSW	03503090000	26.7	11.8	26.0	51	9.6 (8.0)	7.5 - 9.0	710	1565	10/32	781	
		45		245/45R18	100V	XL	BSW	15479690000	26.7	11.0	24.2	51	9.6 (8.0)	7.5 - 9.0	800	1764	11/32	781	
			Mercedes	255/45R18	99H	SL	BSW	03528560000	27.0	11.0	24.2	51	10.0 (8.5)	8.0 - 9.5	775	1709	10/32	772	
			Audi	255/45R18	99H	SL	BSW	03524820000	27.0	12.5	27.6	51	10.0 (8.5)	8.0 - 9.5	775	1709	10/32	772	
			Mercedes	275/45R18	103H	SL	BSW	03503830000	27.7	13.2	29.1	51	10.7 (9.0)	8.5 - 10.5	875	1929	10/32	753	
40	40	Mercedes	225/40R18	92H	XL	BSW	15481210000	25.1	9.8	21.6	51	9.0 (8.0)	7.5 - 9.0	630	1389	10/32	825		
		Volkswagen	235/40R18	95H	XL	BSW	03504370000	25.4	10.7	23.6	51	9.5 (8.5)	8.0 - 9.5	690	1521	10/32	821		
	40	Mercedes	245/40R18	97V	XL	BSW	03504430000	25.7	10.6	23.4	51	9.8 (8.5)	8.0 - 9.5	730	1609	10/32	811		
		Jaguar	245/40R18	93H	SL	BSW	03522260000	25.7	9.9	21.8	51	9.8 (8.5)	8.0 - 9.5	650	1433	10/32	811		
		Audi	245/40R18	93H	SL	BSW	03504350000	25.7	10.2	22.4	51	9.8 (8.5)	8.0 - 9.5	650	1433	10/32	811		
		Mercedes	245/40R18	93V	SL	BSW	03528820000	25.7	10.8	23.9	51	9.8 (8.5)	8.0 - 9.5	650	1433	10/32	811		
		Audi	245/40R18	97H	XL	BSW	15481310000	25.7	9.8	21.6	51	9.8 (8.5)	8.0 - 9.5	730	1609	10/32	811		
		Mercedes	255/35R18	94H	XL	BSW	03500240000	25.0	9.7	21.4	51	10.0 (9.0)	8.5 - 10.0	670	1477	10/32	828		
19	45	Mercedes	265/35R18	97V	XL	BSW	03528830000	25.3	11.0	24.3	51	10.7 (9.5)	9.0 - 10.5	730	1609	10/32	824		
		Jaguar	245/45R19	98H	SL	BSW	15481270000	27.7	10.8	23.8	51	9.6 (8.0)	7.5 - 9.0	750	1654	9/32	753	NEW	
	45	Hyundai	P245/45R19	98V	SL	BSW	15482630000	27.7	12.1	26.7	44	9.6 (8.0)	7.5 - 9.0	750	1654	10/32	753		
		Audi	255/45R19	104H	XL	BSW	03500070000	28.0	12.5	27.6	51	10.0 (8.5)	8.0 - 9.5	900	1984	10/32	745	NEW	
		Porsche	255/45R19	100V	SL	BSW	15483070000	28.0	20.2	44.6	51	10.0 (8.5)	8.0 - 9.5	800	1764	10/32	745	NEW	
	40	Jaguar	245/40R19	94H	SL	BSW	03503100000	26.7	10.6	23.4	51	9.8 (8.5)	8.0 - 9.5	670	1477	10/32	781		
		Mercedes	255/40R19	100V	XL	BSW	03503840000	27.0	11.8	26.0	51	10.2 (9.0)	8.5 - 10.0	800	1764	10/32	772		
		Mercedes	275/40R19	101V	SL	BSW	03503850000	27.7	12.5	27.6	51	11.1 (9.5)	9.0 - 11.0	825	1819	10/32	753		
		Jaguar	275/40R19	101H	SL	BSW	15481280000	27.7	15.6	34.4	51	11.1 (9.5)	9.0 - 11.0	825	1819	10/32	753	NEW	
		Hyundai	P275/40R19	101V	SL	BSW	15482640000	27.7	13.1	28.8	44	11.1 (9.5)	9.0 - 11.0	825	1819	10/32	753		

RIM DIAMETER	SERIES	OEM	SIZE	LOAD/SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	OVERALL TIRE/WHEEL DIAMETER (in.)	TIRE WEIGHT (kg)	TIRE WEIGHT (lbs)	MAX INFLATION PRESSURE (psi)	OVERALL SECTION WIDTH (meas. rim) (in.)	APPROVED RIM WIDTHS (in.)	MAX LOAD (kg)	MAX LOAD (lbs)	TREAD DEPTH (32nds)	REVS PER MILE	NEW
--------------	--------	-----	------	------------------	------------	----------	----------------	-----------------------------------	------------------	-------------------	------------------------------	---	---------------------------	---------------	----------------	---------------------	---------------	-----

ContiProContact™ - SSR (Self Supporting Runflat)

16	55	Mini	195/55R16	87V	SL	BSW	03526260000	24.4	9.8	21.6	51	7.9 (6.0)	5.5 - 7.0	545	1202	9/32	845	
		BMW	205/55R16	91H	SL	BSW	03513410000	24.9	11.5	25.4	51	8.4 (6.5)	5.5 - 7.5	615	1356	10/32	831	
17	55	BMW	225/55R17	97V	SL	BSW	03503170000	26.7	16.3	35.9	51	9.2 (7.0)	6.0 - 8.0	730	1609	10/32	781	NEW
		Mini	205/45R17	84V	SL	BSW	03526270000	24.3	9.1	20.0	51	8.4 (7.0)	6.5 - 7.5	500	1102	9/32	848	
	45	BMW	225/45R17	91H	SL	BSW	03522590000	25.0	11.1	24.4	51	8.9 (7.5)	7.0 - 8.5	615	1356	10/32	828	
18		Audi	245/45R17	95H	SL	BSW	03528270000	25.7	13.6	30.1	51	9.6 (8.0)	7.5 - 9.0	690	1521	10/32	811	
	50	BMW	245/50R18	100V	SL	BSW	03526590000	27.6	14.8	32.6	51	10.0 (7.5)	7.0 - 8.5	800	1764	10/32	755	
	45	BMW	245/45R18	100V	XL	BSW	03503180000	26.7	15.9	35.0	51	9.6 (8.0)	7.5 - 9.0	800	1764	10/32	781	NEW

ContiProContact™ - Conti*Seal (Sealant tire)

17	45	Volkswagen	235/45R17	94H	SL	BSW	03503730000	25.3	13.0	28.7	51	9.3 (8.0)	7.5 - 9.0	670	1477	10/32	824	
18	60	Chrysler	225/60R18	99H	SL	BSW	03573130000	28.6	11.5	25.4	51	9.0 (6.5)	6.0 - 8.0	775	1709	10/32	729	
	40	Volkswagen	235/40R18	95H	XL	BSW	03503740000	25.4	10.7	23.6	51	9.5 (8.5)	8.0 - 9.5	690	1521	10/32	821	