

EXCLAIM™ UHP

RIM DIAMETER	SERIES	SIZE	LOAD/ SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	OVERALL TIRE/WHEEL DIAMETER (IN.)	TIRE WEIGHT (KG)	TIRE WEIGHT (LBS)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (MEASURING RIM) (IN.)	APPROVED RIM WIDTHS (IN.)	MAX LOAD (KG)	MAX LOAD (LBS)	TREAD DEPTH (32nds)	REVS PER MILE
15	55	195/55R15	85V	SL	BSW	15480380000	23.4	7.3	16.1	51	7.9 (6.0)	5.5 - 7.0	515	1135	10/32	873
		205/55R15	88V	SL	BSW	15487290000	23.9	8.1	17.9	51	8.4 (6.5)	5.5 - 7.5	560	1235	10/32	859
	50	195/50R15	82V	SL	BSW	15480370000	22.7	6.9	15.2	51	7.9 (6.0)	5.5 - 7.0	475	1047	10/32	892
		205/50R15	86V	SL	BSW	15480390000	23.1	8.1	17.8	51	8.4 (6.5)	5.5 - 7.5	530	1168	10/32	881
16	55	205/55R16	91V	SL	BSW	15480360000	24.9	8.5	18.7	51	8.4 (6.5)	5.5 - 7.5	615	1356	10/32	831
		215/55R16	93W	SL	BSW	15480410000	25.3	9.0	19.9	51	8.9 (7.0)	6.0 - 7.5	650	1433	10/32	824
		225/55R16	95V	SL	BSW	15487350000	25.7	9.5	20.9	51	9.2 (7.0)	6.0 - 8.0	690	1521	10/32	811
	50	195/50ZR16	84W	SL	BSW	15487310000	23.7	7.1	15.6	51	8.5 (6.0)	5.5 - 7.0	500	1102	10/32	864
		205/50R16	87W	SL	BSW	15480420000	24.1	8.3	18.3	51	8.4 (6.5)	5.5 - 7.5	545	1202	10/32	853
		215/50R16	90V	SL	BSW	15487330000	24.5	8.3	18.3	51	8.9 (7.0)	6.0 - 7.5	600	1323	10/32	842
		225/50R16	92W	SL	BSW	15480350000	24.9	8.8	19.5	51	9.2 (7.0)	6.0 - 8.0	630	1389	10/32	831
	45	245/50ZR16	97W	SL	BSW	15487370000	25.6	10.6	23.3	51	10.0 (7.5)	7.0 - 8.5	730	1609	11/32	814
205/45R16	83W	SL	BSW	15476500000	23.3	7.1	15.7	51	8.1 (7.0)	6.5 - 7.5	487	1074	10/32	876		
17	55	205/55ZR17	91W	SL	BSW	15487430000	25.9	8.7	19.2	51	8.5 (6.5)	5.5 - 7.5	615	1356	10/32	805
		215/55R17	94V	SL	BSW	15487420000	26.3	9.0	19.9	51	9.2 (7.0)	6.0 - 8.0	670	1477	10/32	793
		225/55R17	97V	SL	BSW	15487450000	26.7	10.6	23.4	51	9.2 (7.0)	6.0 - 8.0	730	1609	10/32	781
		235/55ZR17	99W	SL	BSW	15487470000	27.2	10.6	23.3	51	9.6 (7.5)	6.5 - 8.5	775	1709	10/32	767
	50	205/50ZR17	93W	XL	BSW	15487400000	25.1	8.6	18.9	51	8.4 (6.5)	5.5 - 7.5	650	1433	10/32	825
		215/50R17	95V	XL	BSW	15487410000	25.5	9.2	20.3	51	8.9 (7.0)	6.0 - 7.5	690	1521	10/32	818
		225/50ZR17	94W	SL	BSW	15487440000	25.9	9.6	21.1	51	9.2 (7.0)	6.0 - 8.0	670	1477	10/32	805
		235/50ZR17	96W	SL	BSW	15487460000	26.3	9.9	21.8	51	9.7 (7.5)	6.5 - 8.5	710	1565	10/32	793
	245/50ZR17	99W	SL	BSW	15487380000	26.6	11.3	24.9	51	10.0 (7.5)	7.0 - 8.5	775	1709	11/32	784	
	45	205/45ZR17	84W	SL	BSW	15487390000	24.3	7.9	17.5	51	8.4 (7.0)	6.5 - 7.5	500	1102	10/32	848
		215/45ZR17	87W	SL	BSW	15476510000	24.6	7.8	17.2	51	8.5 (7.0)	7.0 - 8.0	545	1202	11/32	839
		225/45ZR17	91W	SL	BSW	15476520000	25.0	9.0	19.7	51	8.9 (7.5)	7.0 - 8.0	615	1356	10/32	828
		235/45ZR17	94W	SL	BSW	15476530000	25.3	9.1	20.1	51	9.3 (8.0)	7.5 - 9.0	670	1477	9/32	824
		245/45ZR17	95W	SL	BSW	15476540000	25.7	9.7	21.4	51	9.6 (8.0)	7.0 - 9.0	690	1521	10/32	811
		255/45ZR17	98W	SL	BSW	15487490000	26.0	10.7	23.5	51	10.2 (8.5)	8.0 - 9.5	750	1654	11/32	802
	40	205/40ZR17	84W	XL	BSW	15476550000	23.5	7.5	16.5	51	8.4 (7.5)	7.0 - 8.0	500	1102	10/32	870
215/40ZR17		87W	XL	BSW	15476560000	23.8	7.7	17.0	51	8.6 (7.5)	7.0 - 8.5	545	1202	10/32	862	
245/40ZR17		91W	SL	BSW	15476570000	24.7	9.2	20.2	51	9.8 (8.5)	8.0 - 9.5	615	1356	10/32	836	
255/40ZR17		94W	SL	BSW	15487480000	25.0	10.2	22.5	51	10.2 (9.0)	8.5 - 10.0	670	1477	10/32	828	
275/40ZR17	98W	SL	BSW	15480330000	25.7	10.9	23.9	51	10.9 (9.5)	9.0 - 11.0	750	1654	10/32	811		
18	55	235/55R18	100V	SL	BSW	15487570000	28.2	11.5	25.4	51	9.6 (7.5)	6.5 - 8.5	800	1764	10/32	739
	50	235/50ZR18	97W	SL	BSW	15487560000	27.3	10.4	22.8	51	9.6 (8.0)	6.5 - 8.5	730	1609	10/32	764
	45	215/45ZR18	93W	XL	BSW	15487540000	25.6	8.7	19.3	51	8.4 (7.0)	7.0 - 8.0	650	1433	11/32	814

EXCLAIM™ UHP

RIM DIAMETER	SERIES	SIZE	LOAD/ SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	OVERALL TIRE/WHEEL DIAMETER (IN.)	TIRE WEIGHT (KG)	TIRE WEIGHT (LBS)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (MEASURING RIM) (IN.)	APPROVED RIM WIDTHS (IN.)	MAX LOAD (KG)	MAX LOAD (LBS)	TREAD DEPTH (32nds)	REVS PER MILE	
18	45	225/45ZR18	91W	SL	BSW	15487530000	26.0	9.6	21.2	51	8.9 (7.5)	7.0 - 8.5	615	1356	11/32	802	
		235/45ZR18	94W	SL	BSW	15487550000	26.3	9.9	21.7	51	9.6 (8.0)	7.5 - 9.0	670	1477	11/32	793	
		245/45ZR18	100W	XL	BSW	15476470000	26.7	10.2	22.6	51	9.6 (8.0)	7.5 - 9.0	800	1764	10/32	781	
		255/45R18	99W	SL	BSW	15487580000	27.0	11.0	24.4	51	10.0 (8.5)	8.0 - 9.5	775	1709	10/32	772	
	40	215/40ZR18	89W	XL	BSW	15487510000	24.8	8.2	18.2	51	8.6 (7.5)	7.0 - 8.5	580	1279	10/32	834	
		225/40ZR18	92W	XL	BSW	15476890000	25.1	8.9	19.5	51	9.0 (8.0)	7.5 - 9.0	630	1389	9/32	825	
		235/40ZR18	91W	SL	BSW	15476590000	25.4	8.9	19.5	51	9.5 (8.5)	8.0 - 9.5	615	1356	9/32	821	
		245/40ZR18	93W	SL	BSW	15476600000	25.7	9.9	21.8	51	9.8 (8.5)	8.0 - 9.5	650	1433	10/32	811	
		255/40ZR18	99W	XL	BSW	15487500000	26.0	10.9	23.9	51	10.2 (9.0)	8.5 - 10.0	775	1709	10/32	802	
		265/40ZR18	101W	XL	BSW	15487520000	26.3	11.8	25.9	51	11.2 (9.5)	9.0 - 10.5	825	1819	10/32	793	
	35	275/40ZR18	99W	SL	BSW	15480340000	26.7	11.2	24.7	51	10.9 (9.5)	9.0 - 11.0	775	1709	10/32	781	
		215/35ZR18	84Y	XL	BSW	15476610000	23.9	7.8	17.2	51	8.6 (7.5)	7.0 - 8.0	500	1102	10/32	859	
		255/35ZR18	94W	XL	BSW	15487650000	25.0	9.8	21.6	51	10.0 (9.0)	8.5 - 10.0	670	1477	10/32	828	
		265/35ZR18	97W	XL	BSW	15487590000	25.3	10.4	22.9	51	10.7 (9.5)	9.0 - 10.5	730	1609	10/32	824	
		275/35ZR18	95W	SL	BSW	15487600000	25.6	11.2	24.6	51	11.2 (9.5)	9.0 - 11.0	690	1521	10/32	814	
		285/35ZR18	101W	XL	BSW	15487620000	25.9	11.5	25.4	51	11.4 (10.0)	9.5 - 11.0	825	1819	10/32	805	
	30	295/35ZR18	99W	SL	BSW	15487630000	26.1	11.6	25.7	51	12.0 (10.5)	10.0 - 11.0	775	1709	10/32	799	
		285/30ZR18	97W	XL	BSW	15487610000	24.7	10.6	23.3	51	11.5 (10.0)	9.5 - 10.5	730	1609	10/32	836	
		19	215/35ZR19	85W	XL	BSW	15476480000	24.9	8.3	18.3	51	8.6 (7.5)	7.0 - 8.0	515	1135	10/32	831
			225/35ZR19	88Y	XL	BSW	15476620000	25.2	9.1	20.1	51	9.1 (8.0)	7.5 - 9.0	560	1235	10/32	827
235/35ZR19			91W	XL	BSW	15476630000	25.5	9.7	21.5	51	9.5 (8.5)	8.0 - 9.5	615	1356	10/32	818	
245/35ZR19			93W	XL	BSW	15476640000	25.8	9.8	21.7	51	9.8 (8.5)	8.0 - 9.8	650	1433	10/32	808	
255/35ZR19	96W		XL	BSW	15487640000	26.0	10.7	23.6	51	10.4 (9.0)	8.5 - 10.0	710	1565	10/32	802		
265/30ZR19	93W	XL	BSW	15476650000	25.3	10.0	22.2	51	10.4 (9.5)	9.0 - 10.0	650	1433	10/32	824			
30	275/30ZR19	96W	XL	BSW	15476660000	25.5	10.8	23.8	51	10.9 (9.5)	9.0 - 10.0	710	1565	10/32	818		
	325/30ZR19	105W	XL	BSW	15487690000	26.7	14.4	31.8	51	13.0 (11.5)	11.0 - 12.0	925	2039	10/32	781		
	50	265/50R20	107V	SL	BSW	15487760000	30.4	15.8	34.7	51	10.9 (8.5)	7.5 - 9.5	975	2150	11/32	686	
20	45	245/45ZR20	99W	SL	BSW	15487730000	28.7	10.9	24.1	51	9.6 (8.0)	7.5 - 9.0	775	1709	11/32	726	
	40	245/40ZR20	99W	XL	BSW	15480320000	27.7	11.2	24.8	51	9.8 (8.5)	8.0 - 9.5	775	1709	10/32	753	
	35	225/35R20	90W	XL	BSW	15487710000	26.2	9.1	20.1	51	9.1 (8.0)	7.5 - 9.0	600	1323	10/32	796	
		235/35R20	92W	XL	BSW	15487720000	26.5	9.4	20.7	51	9.5 (8.5)	8.0 - 9.5	630	1389	10/32	787	
		245/35R20	95W	XL	BSW	15480310000	26.8	10.3	22.7	51	9.6 (8.5)	8.0 - 9.5	690	1521	10/32	778	
		255/35R20	97W	XL	BSW	15476670000	27.0	10.9	24.0	51	10.2 (9.0)	8.0 - 10.0	730	1609	10/32	772	
		265/35R20	99W	XL	BSW	15487750000	27.3	11.6	25.6	51	10.7 (9.5)	9.0 - 10.5	775	1709	10/32	764	
		275/35R20	102W	XL	BSW	15487780000	27.6	11.9	26.1	51	11.0 (9.5)	9.0 - 11.0	850	1874	10/32	755	
	30	225/30ZR20	85W	XL	BSW	15476490000	25.3	8.9	19.7	51	9.0 (8.0)	7.5 - 9.0	515	1135	10/32	824	

EXCLAIM™ UHP

RIM DIAMETER	SERIES	SIZE	LOAD INDEX	SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	OVERALL TIRE/WHEEL DIAMETER (IN.)	TIRE WEIGHT (KG)	TIRE WEIGHT (LBS)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (MEASURING RIM) (IN.)	APPROVED RIM WIDTHS (IN.)	MAX LOAD (KG)	MAX LOAD (LBS)	TREAD DEPTH (32nds)	REVS PER MILE
20	30	235/30ZR20	88W	XL	BSW	15487700000	25.6	9.5	20.9	51	9.8 (8.5)	8.0 - 9.0	560	1235	10/32	814	
		265/30ZR20	94W	XL	BSW	15487740000	26.3	10.1	22.2	51	10.7 (9.5)	9.0 - 10.0	670	1477	10/32	793	
		275/30R20	97V	XL	BSW	15487770000	26.5	11.2	24.6	51	10.4 (9.5)	9.0 - 10.0	730	1609	10/32	787	
		285/30ZR20	99W	XL	BSW	15487800000	26.7	11.8	26.0	51	11.4 (10.0)	9.5 - 10.5	775	1709	10/32	781	
		295/30ZR20	101W	XL	BSW	15441300000	27.0	12.0	26.4	51	11.9 (10.5)	10.0 - 11.0	825	1819	10/32	772	
25	295/25ZR20	95W	XL	BSW	15441490000	25.8	10.8	23.9	51	11.9 (10.5)	10.0 - 11.0	690	1521	10/32	808		
21	35	255/35ZR21	99W	XL	BSW	15487840000	28.0	11.1	24.6	51	10.2 (9.0)	8.5 - 10.0	775	1709	10/32	745	
22	30	265/30ZR22	97W	XL	BSW	15487850000	28.3	11.4	25.1	51	10.4 (9.5)	9.0 - 10.0	730	1609	10/32	737	
		285/30ZR22	101W	XL	BSW	15487870000	28.7	13.0	28.6	51	11.4 (10.0)	9.5 - 10.5	825	1819	10/32	726	
	25	295/25ZR22	97W	XL	BSW	15487880000	27.8	12.5	27.6	51	11.6 (10.5)	10.0 - 11.0	730	1609	10/32	750	
		305/25ZR22	99W	XL	BSW	15487890000	28.0	13.1	28.9	51	12.3 (11.0)	10.5 - 11.5	775	1709	10/32	745	
24	30	255/30ZR24	97W	XL	BSW	15487900000	30.0	11.7	25.9	51	10.2 (9.0)	8.5 - 9.5	730	1609	10/32	695	
		275/30ZR24	101W	XL	BSW	15487910000	30.5	12.6	27.7	51	10.9 (9.5)	9.0 - 10.0	825	1819	10/32	684	