

# CrossContact™ LX



LUXURY ROAD HIGHWAY ALL-SEASON TIRE DESIGNED FOR STYLE, LOW NOISE, COMFORT HIGH MILEAGE, AND EXCELLENT RIDE CHARACTERISTICS.

## CrossContact™ LX

### FEATURES:

- Asymmetric tread design
- Tri-net silica tread compound
- Spiral-wound, jointless cap plies
- Acoustic Alterra Technology
- Interlocking sipes

### BENEFITS:

- Positively effects traction, handling and wear
- Enhanced traction in dry, wet, and winter driving conditions while lowering rolling resistance to reduce fuel economy
- Create a smooth, responsive ride
- Minimizes noise and provides a comfortable ride
- Provide excellent handling and stability

UTQG:

ALL SIZES

TREAD:

TRACTION:

TEMPERATURE:

See Chart for Details

**ENGAGE**  
360 ONLINE  
TRAINING CENTER

Training module on CrossContact™ LX

**65000** MILE LIMITED TREADWEAR WARRANTY

Includes Metric sizes with speed ratings of T and below

**50000** MILE LIMITED TREADWEAR WARRANTY

Includes all Metric sizes with speed ratings of H and above and all LT Metric sizes

**CONTINENTALTIRE.COM**

		RIM DIAMETER	SERIES	SIZE	LOAD / SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	TIRE DIAMETER (in)	TIRE WEIGHT (KG)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (in)	APPROVED RIM WIDTH (in)	MAX LOAD (KG)	MAX LOAD (LBS)	MAX DUAL LOAD (LBS)	TREAD DEPTH (in - 32nds)	REV'S PER MILE	UTQG	
15	75		215/75R15	100T	SL	BSW	15484010000	27.7	11.0	24.3	44	8.5 (6.0)	5.5 - 7.0	800	1764	N/A	N/A	12/32	753	680 A B
			215/75R15	100T	SL	OWL	15484040000	27.7	11.2	24.8	44	8.5 (6.0)	5.5 - 7.0	800	1764	N/A	N/A	12/32	753	680 A B
			225/75R15	102T	SL	OWL	15475510000	28.3	14.3	31.6	44	8.8 (6.0)	6.0 - 7.6	850	1874	N/A	N/A	12/32	737	680 A B
			235/75R15	109T	XL	OWL	15475530000	28.9	14.3	31.5	51	9.3 (6.5)	6.0 - 8.0	1030	2271	N/A	N/A	12/32	721	680 A B
			235/75R15	105T	SL	OWL	15483700000	28.9	14.3	31.5	44	9.3 (6.5)	6.0 - 8.0	925	2039	N/A	N/A	12/32	721	680 A B
		265/75R15	112S	SL	OWL	15486860000	30.6	16.3	36.0	44	10.5 (7.5)	7.0 - 9.0	1120	2469	N/A	N/A	12/32	681	680 A B	
		225/70R15	100T	SL	OWL	15475500000	27.4	12.8	28.3	44	9.0 (6.5)	6.0 - 7.5	800	1764	N/A	N/A	12/32	761	680 A B	
		235/70R15	103T	SL	OWL	15475520000	28.0	13.7	30.2	44	9.4 (7.0)	6.5 - 8.5	875	1929	N/A	N/A	12/32	745	680 A B	
		255/70R15	108S	SL	OWL	15486910000	29.1	15.4	34.0	44	10.2 (7.5)	6.0 - 8.5	1000	2205	N/A	N/A	12/32	716	680 A B	
		265/70R15	112S	SL	OWL	15449250000	29.6	16.0	35.2	44	10.7 (8.0)	7.0 - 9.0	1120	2469	N/A	N/A	12/32	704	680 A B	
	265/70R15	112H	SL	BSW	15475540000	29.6	16.1	35.5	51	10.7 (8.0)	7.0 - 9.0	1120	2469	N/A	N/A	12/32	704	680 A B		
16	85		LT235/85R16	120/116Q	E	BSW	04570730000	31.7	20.1	44.4	80	9.3 (6.5)	6.0 - 7.5	1400	3086	1250	2756	13/32	658	none
	75		LT225/75R16	115/112S	E	BSW	04570760000	29.3	17.3	38.2	80	8.8 (6.0)	6.0 - 7.0	1215	2679	1120	2469	13/32	712	none
			225/75R16	104S	SL	OWL	15449260000	29.3	13.7	30.1	44	8.8 (6.0)	6.0 - 7.5	900	1984	N/A	N/A	12/32	712	680 A B
			225/75R16	104S	SL	BSW	15449560000	29.3	13.4	29.5	44	8.8 (6.0)	6.0 - 7.5	900	1984	N/A	N/A	12/32	712	680 A B
			235/75R16	108S	SL	OWL	15449280000	29.9	14.8	32.7	44	9.3 (6.5)	6.0 - 8.0	1000	2205	N/A	N/A	12/32	697	680 A B
			LT245/75R16	120/116S	E	BSW	04570630000	30.5	18.8	41.4	80	9.8 (7.0)	6.5 - 7.5	1400	3086	1250	2756	13/32	684	none
			245/75R16	111S	SL	OWL	15449070000	30.5	15.9	35.0	44	9.8 (7.0)	6.5 - 8.0	1090	2403	N/A	N/A	12/32	684	680 A B
			LT265/75R16	123/120Q	E	OWL	04570610000	31.6	21.5	47.4	80	10.5 (7.5)	7.0 - 8.0	1550	3417	1400	3086	13/32	660	none
		265/75R16	116T	SL	OWL	15480190000	31.6	17.5	38.6	44	10.5 (7.5)	7.0 - 9.0	1250	2756	N/A	N/A	12/32	660	680 A B	
		215/70R16	100S	SL	OWL	15449320000	27.9	12.3	27.2	44	8.7 (6.5)	5.0 - 7.0	800	1764	N/A	N/A	12/32	747	680 A B	
		215/70R16	100S	SL	BSW	15482570000	27.9	12.0	26.5	44	8.7 (6.5)	5.0 - 7.0	800	1764	N/A	N/A	12/32	747	680 A B	
		225/70R16	103S	SL	BSW	15482560000	28.4	13.3	29.4	44	9.0 (6.5)	6.0 - 7.5	875	1929	N/A	N/A	12/32	734	680 A B	
		235/70R16	103S	SL	OWL	15449060000	29.0	13.6	30.1	44	9.4 (7.0)	6.0 - 8.0	875	1929	N/A	N/A	12/32	719	680 A B	
		235/70R16	106T	SL	OWL	15475570000	29.0	14.3	31.6	44	9.4 (7.0)	6.0 - 8.0	950	2094	N/A	N/A	12/32	719	680 A B	
		235/70R16	106H	SL	BSW	03545670000	29.0	13.3	29.2	51	9.4 (7.0)	6.0 - 8.0	950	2094	N/A	N/A	12/32	719	680 A B	
		P235/70R16##	104T	SL	BSW	15487980000	29.0	14.3	31.6	44	9.4 (7.0)	6.0 - 8.0	900	1984	N/A	N/A	12/32	719	680 A B	
		245/70R16	107T	SL	OWL	15475580000	29.5	15.2	33.5	44	9.8 (7.0)	6.0 - 8.0	975	2150	N/A	N/A	12/32	707	680 A B	
		245/70R16	107T	SL	BSW	15484050000	29.5	14.9	32.9	44	9.8 (7.0)	6.0 - 8.0	975	2150	N/A	N/A	12/32	707	680 A B	
		255/70R16	111S	SL	OWL	15449270000	30.1	15.2	33.6	44	10.2 (7.5)	6.5 - 8.5	1090	2403	N/A	N/A	12/32	693	680 A B	
		265/70R16	112S	SL	OWL	15449290000	30.6	16.7	36.8	44	10.7 (8.0)	7.0 - 9.0	1120	2469	N/A	N/A	12/32	681	680 A B	
	265/70R16	112H	SL	BSW	15475610000	30.6	16.7	36.7	51	10.7 (8.0)	7.0 - 9.0	1120	2469	N/A	N/A	12/32	681	680 A B		
	275/70R16	114S	SL	BSW	15449090000	31.2	16.6	36.5	44	11.0 (8.0)	7.0 - 9.0	1180	2601	N/A	N/A	12/32	668	680 A B		
	235/65R16	103T	SL	BSW	15487170000	28.0	13.8	30.5	44	9.4 (7.0)	6.5 - 7.5	875	1929	N/A	N/A	12/32	745	680 A B		
	255/65R16	109H	SL	BSW	15475600000	29.1	14.5	32.0	51	10.2 (7.5)	7.0 - 9.0	1030	2271	N/A	N/A	12/32	716	680 A B		
	255/65R16	109S	SL	OWL	15486960000	29.1	15.2	33.6	44	10.2 (7.5)	7.0 - 9.0	1030	2271	N/A	N/A	12/32	716	680 A B		
17	75		235/75R17	109S	SL	BSW	15487200000	30.9	15.2	33.5	44	9.3 (6.5)	6.0 - 8.0	1030	2271	N/A	N/A	12/32	675	680 A B
			255/75R17	115T	SL	OWL	15487240000	32.1	17.9	39.5	44	10.0 (7.0)	6.5 - 8.5	1215	2679	N/A	N/A	12/32	650	680 A B
	70		235/70R17	111T	XL	OWL	15487220000	30.0	14.9	32.9	51	9.4 (7.0)	6.0 - 8.0	1090	2403	N/A	N/A	12/32	695	680 A B
			LT245/70R17	119/116S	E	OWL	04570640000	30.5	20.1	44.4	80	9.8 (7.0)	6.5 - 8.0	1360	2998	1250	2756	13/32	684	none
			245/70R17	110S	SL	OWL	15486970000	30.5	15.7	34.6	44	9.8 (7.0)	6.5 - 8.0	1060	2337	N/A	N/A	12/32	684	680 A B
			LT265/70R17	121/118S	E	OWL	04570670000	31.6	21.3	46.9	80	10.7 (8.0)	7.0 - 9.0	1450	3197	1320	2910	13/32	660	none
	265/70R17	115S	SL	BSW	15449230000	31.6	17.7	39.0	44	10.7 (8.0)	7.0 - 9.0	1215	2679	N/A	N/A	12/32	660	680 A B		
	265/70R17	115S	SL	OWL	15449240000	31.6	17.9	39.6	44	10.7 (8.0)	7.0 - 9.0	1215	2679	N/A	N/A	12/32	660	680 A B		

N/A = Not Applicable  
## = with hybrid EcoPlus technology

RIM DIAMETER	SERIES	SIZE	LOAD / SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	TIRE DIAMETER (in)	TIRE WEIGHT (KG)	TIRE WEIGHT (LBS)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (in)	APPROVED RIM WIDTHS (in)	MAX. LOAD (KG)	MAX. LOAD (LBS)	MAX DUAL LOAD (LBS)	TREAD DEPTH (in - 32nds)	REV'S PER MILE	UTQG
--------------	--------	------	--------------------	------------	----------	----------------	--------------------	------------------	-------------------	-------------------------------	----------------------------	--------------------------	----------------	-----------------	---------------------	--------------------------	----------------	------

**CrossContact LX - Continued**

17	70	LT285/70R17	121/118Q	D	OWL	04570690000	32.7	23.9	52.7	65	11.5 (8.5)	7.0 - 9.0	1450	3197	1320	2910	13/32	638	none
	65	225/65R17	102T	SL	BSW	15483710000	28.5	12.3	27.1	44	9.0 (6.5)	6.0 - 8.0	850	1874	N/A	N/A	12/32	732	680 A B
		235/65R17	108H	XL	BSW	15475630000	29.0	14.2	31.3	51	9.4 (7.0)	6.5 - 8.5	1000	2205	N/A	N/A	12/32	719	680 A B
		235/65R17	108T	XL	OWL	15487190000	29.0	14.5	32.0	51	9.4 (7.0)	6.5 - 8.5	1000	2205	N/A	N/A	12/32	719	680 A B
		245/65R17	107H	SL	BSW	15484020000	29.5	14.0	31.0	51	9.8 (7.0)	7.0 - 8.5	975	2150	N/A	N/A	12/32	707	680 A B
		245/65R17	107T	SL	OWL	15486980000	29.5	15.3	33.6	44	9.8 (7.0)	7.0 - 8.5	975	2150	N/A	N/A	12/32	707	680 A B
		255/65R17	110T	SL	BSW	03540680000	30.1	16.5	36.4	44	10.2 (7.5)	7.0 - 9.0	1060	2337	N/A	N/A	12/32	693	580 A B
		255/65R17	110H	SL	BSW	03540700000	30.1	16.5	36.4	51	10.2 (7.5)	7.0 - 9.0	1060	2337	N/A	N/A	12/32	693	680 A B
		255/65R17	110S	SL	OWL	15486930000	30.1	15.9	35.1	44	10.2 (7.5)	7.0 - 9.0	1060	2337	N/A	N/A	12/32	693	680 A B
		265/65R17	112H	SL	BSW	03545850000	30.6	16.5	36.5	51	10.7 (8.0)	7.5 - 9.5	1120	2469	N/A	N/A	12/32	681	680 A B
		265/65R17	112T	SL	OWL	15484300000	30.6	16.6	36.5	44	10.7 (8.0)	7.5 - 9.5	1120	2469	N/A	N/A	12/32	681	680 A B
	265/65R17	112T	SL	BSW	15484400000	30.6	16.1	35.6	44	10.7 (8.0)	7.5 - 9.5	1120	2469	N/A	N/A	12/32	681	680 A B	
	60	215/60R17	96H	SL	BSW	03541340000	27.2	12.2	26.9	51	9.3 (6.5)	6.0 - 7.5	710	1565	N/A	N/A	12/32	767	680 A B
		255/60R17	106H	SL	BSW	15475640000	29.0	15.0	33.1	51	10.2 (7.5)	7.0 - 9.0	950	2094	N/A	N/A	12/32	719	680 A B
275/60R17		110S	SL	OWL	15449080000	30.0	17.2	37.9	44	11.0 (8.0)	7.5 - 9.5	1060	2337	N/A	N/A	12/32	695	680 A B	
55	275/55R17	109V	SL	BSW	15484600000	28.9	15.5	34.1	51	11.2 (8.5)	7.5 - 9.5	1030	2271	N/A	N/A	10/32	721	520 A B	
18	70	255/70R18	113T	SL	BSW	15484500000	32.1	17.2	37.8	44	10.2 (7.5)	6.5 - 8.5	1150	2535	N/A	N/A	12/32	650	680 A B
		265/70R18	116S	SL	OWL	15486870000	32.6	17.8	39.4	44	10.7 (8.0)	7.0 - 9.0	1250	2756	N/A	N/A	12/32	640	680 A B
		265/70R18	116S	SL	BSW	15486880000	32.6	17.5	38.6	44	10.7 (8.0)	7.0 - 9.0	1250	2756	N/A	N/A	12/32	640	680 A B
		LT275/70R18	125/122S	E	OWL	04570680000	33.2	24.2	53.3	80	10.9 (8.0)	7.0 - 9.0	1650	3638	1500	3307	13/32	628	none
	65	LT275/65R18	123/120S	E	OWL	04570700000	32.1	23.6	51.9	80	10.9 (8.0)	7.0 - 8.5	1550	3417	1400	3086	13/32	650	none
	60	P245/60R18	104T	SL	BSW	15480260000	29.6	14.5	31.9	44	9.8 (7.0)	7.0 - 8.5	900	1984	N/A	N/A	11/32	704	560 A B
		255/60R18	112V	XL	BSW	03540740000	30.0	16.2	35.7	51	10.2 (7.5)	7.0 - 9.0	1120	2469	N/A	N/A	12/32	695	680 A B
		265/60R18	110T	SL	OWL	15486900000	30.5	17.1	37.8	44	10.7 (8.0)	7.5 - 9.5	1060	2337	N/A	N/A	12/32	684	680 A B
		275/60R18	113H	SL	BSW	15486890000	31.0	18.1	39.8	51	11.0 (8.0)	7.5 - 9.5	1150	2535	N/A	N/A	12/32	673	680 A B
	55	285/60R18	116T	SL	BSW	15480180000	31.5	19.4	42.7	44	11.5 (8.5)	8.0 - 10.0	1250	2756	N/A	N/A	12/32	662	680 A B
275/55R18	109H	XL	BSW	15475670000	29.0	15.3	33.7	51	10.4 (8.0)	7.0 - 9.0	1030	2271	N/A	N/A	11/32	719	680 A B		
20	65	LT275/65R20	126/123S	E	OWL	04570710000	34.1	25.3	55.7	80	11.0 (8.0)	7.5 - 9.5	1700	3748	1550	3417	13/32	611	none
	60	275/60R20	119S	XL	BSW	15486830000	33.0	18.8	41.6	51	11.0 (8.0)	7.5 - 9.5	1360	2998	N/A	N/A	12/32	632	680 A B
	55	275/55R20	117S	XL	BSW	15449340000	31.9	18.5	40.7	51	11.2 (8.5)	7.0 - 9.5	1285	2833	N/A	N/A	12/32	654	560 A B
	45	275/45R20	110S	XL	BSW	15449330000	29.7	17.1	37.6	51	10.7 (9.0)	8.5 - 10.0	1060	2337	N/A	N/A	12/32	702	560 A B
22	45	285/45R22	114H	XL	BSW	15483140000	32.0	13.4	29.5	51	11.2 (9.5)	9.0 - 10.5	1180	2601	N/A	N/A	10/32	670	680 A B

N/A = Not Applicable