



# AMERITRAC™

## THE VERSATILITY TO PERFORM IN ANY SEASON

THIS PREMIUM ALL-SEASON TIRE PROVIDES OUTSTANDING COMFORT, SAFETY AND NOISE PERFORMANCE.

FEATURES:	BENEFITS:
• Sequentially optimized tread pattern	• Quiet all-season performance
• Mud and snow rated	• Steer & drive positions, great for Light Trucks, SUVs and 4WD vehicles
• All-position capability	• Steer or drive axle use
• Computer modeled tread design	• Premium ride and handling

UTQG:	TREAD:	TRACTION:	TEMPERATURE:
ALL SIZES	420	B	B

\*All-Season

ORIGINAL EQUIPMENT FITMENTS	RIM DIAMETER	SERIES	SIZE	LOAD / SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	TIRE DIAMETER (IN)	TIRE WEIGHT (LB)	TIRE WEIGHT (KG)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (IN) (MEASURING RIM)	APPROVED RIM WIDTHS (IN)	TREAD DEPTH (32NDS)	REVS PER MILE
CHEVY/GMC	16	70	P255/70R16	109H	SL	BSW	15470950000	30.1	36.6	16.6	44	10.2 (7.5)	6.5 - 8.5	11/32	693
FORD			P255/70R16	109S	SL	BSW	15471150000	30.1	36.0	16.3	44	10.2 (7.5)	6.5 - 8.5	11/32	693
FORD			P255/70R16	109S	SL	OWL	15471160000	30.1	35.4	16.1	44	10.2 (7.5)	6.5 - 8.5	11/32	693
GM			P255/70R16	109H	SL	BSW	15480400000	30.1	36.6	16.6	44	10.2 (7.5)	6.5 - 8.5	11/32	693
GM		85	LT215/85R16	110S/107S	D	BSW	04566380000	30.4	39.9	18.1	65	8.5 (6.0)	5.5 - 7.0	13/32	684
GM		LT215/85R16	115S/112S	E	BSW	04566390000	30.4	39.9	18.1	80	8.5 (6.0)	5.5 - 7.0	13/32	684	
FORD		LT235/85R16	120Q/116Q	E	BSW	04565510000	31.7	44.7	20.3	80	9.3 (6.5)	6.0 - 7.5	14/32	658	
FORD		17	70	LT245/70R17	114S/110S	D	BSW	04563420000	30.6	44.0	20.0	65	9.8 (7.0)	6.5 - 7.5	13/32
CHEVY/GMC	P245/70R17			108S	SL	BSW	15476350000	30.6	32.8	14.9	44	9.8 (7.0)	6.5 - 8.0	10/32	681
CHEVY/GMC	P245/70R17			108S	SL	OWL	15476360000	30.6	34.0	15.4	44	9.8 (7.0)	6.5 - 8.0	10/32	681
CHEVY/GMC	P245/70R17			108H	SL	BSW	15476370000	30.6	35.9	16.3	44	9.8 (7.0)	6.5 - 8.0	10/32	681
DODGE	80		LT235/80R17	120R/117R	E	OWL	04566440000	31.8	50.9	23.1	80	9.3 (6.5)	6.0 - 7.5	15/32	656
DODGE	LT235/80R17		120R/117R	E	BSW	04566450000	31.8	50.1	22.7	80	9.3 (6.5)	6.0 - 7.5	15/32	656	